



Eastern Research Group
601 Keystone Park Drive
Suite 700
Morrisville, NC 27560

July 05, 2017

Mr. Dave Shelow & Ms Fran Verhalen
U.S. Environmental Protection Agency - OAQPS
109 T.W. Alexander Drive, Mail Code: C304-06
RTP, NC 27709
Project Name: Chloroprene

Dear Mr. Dave Shelow & Ms Fran Verhalen,

This report contains the analytical results for the sample(s) received under chain(s) of custody by Eastern Research Group on 06/08/17 10:25 through 06/27/17 10:49.

The test results in this report are in compliance with NELAC accreditation requirements for the certified parameters. All analyses were performed as described in the US EPA-approved QAPP, under the contract for UATMP, NATTS, CSATAM, PAMS and NMOC support (US EPA Contract No. EP-D-14-030). This cover page is an integral part of this report, and any exceptions or comments are noted on the last page.

Release of the data contained in this data package and in the data submitted in the electronic data deliverable, has been authorized by the Program Manager, or the Program Manager's designee as verified by the following signature.

The issuance of the final Certificate of Analysis takes precedence over any previous Report. If you have any questions, please contact me at 919-468-7924.

Sincerely,

Julie Swift
Program Manager
julie.swift@erg.com

The information contained in this report and its attachment(s) are intended only for the use of the individual to whom it is addressed and may contain information that is privileged, confidential, or exempt from disclosure. If the reader of this message is not the intended recipient, you are hereby notified that any dissemination, distribution, or copying of this report is strictly prohibited. If you have received this report in error, please notify julie.swift@erg.com and delete the report without retaining any copies.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 **FAX:** -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

ANALYTICAL REPORT FOR SAMPLES

<u>SampleName</u>	<u>LabNumber</u>	<u>Matrix</u>	<u>Sampled</u>	<u>Received</u>
East St. John the Baptist Hig	7060833-01	Air	06/07/17 13:24	06/08/17 10:25
Fifth Ward Elementary Schoo	7060833-02	Air	06/07/17 13:46	06/08/17 10:25
Fifth Ward Elementary Schoo	7060833-03	Air	06/07/17 13:46	06/08/17 10:25
Ochsner Hospital	7060833-04	Air	06/07/17 13:29	06/08/17 10:25
238 Chad Baker	7060833-05	Air	06/07/17 13:50	06/08/17 10:25
Acorn and Hwy 44	7060833-06	Air	06/07/17 13:38	06/08/17 10:25
Levee	7060833-07	Air	06/07/17 13:42	06/08/17 10:25
238 Chad Baker C1	7061321-01	Air	06/10/17 12:48	06/13/17 10:49
238 Chad Baker C2	7061321-02	Air	06/10/17 12:48	06/13/17 10:49
Ochsner Hospital	7061321-03	Air	06/10/17 12:26	06/13/17 10:49
East St. John the Baptist Hig	7061321-04	Air	06/10/17 12:22	06/13/17 10:49
Acorn and Hwy 44	7061321-05	Air	06/10/17 12:36	06/13/17 10:49
Levee	7061321-06	Air	06/10/17 12:40	06/13/17 10:49
Fifth Ward Elementary Schoo	7061321-07	Air	06/10/17 12:44	06/13/17 10:49
238 Chad Baker C1	7061512-01	Air	06/13/17 13:12	06/15/17 10:50
238 Chad Baker C2	7061512-02	Air	06/13/17 13:12	06/15/17 10:50
East St. John the Baptist Hig	7061512-03	Air	06/13/17 12:48	06/15/17 10:50
Ochsner Hospital	7061512-04	Air	06/13/17 12:53	06/15/17 10:50
Acorn and Hwy 44	7061512-05	Air	06/13/17 13:00	06/15/17 10:50
Levee	7061512-06	Air	06/13/17 13:04	06/15/17 10:50
Fifth Ward Elementary Schoo	7061512-07	Air	06/13/17 13:08	06/15/17 10:50
Ochsner Hospital C1	7062023-01	Air	06/16/17 11:02	06/20/17 10:23
Ochsner Hospital C2	7062023-02	Air	06/16/17 11:02	06/20/17 10:23

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 **FAX:** -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Ochsner Hospital	7062023-03	Air	06/19/17 12:23	06/20/17 10:23
Acorn and Hwy 44	7062023-04	Air	06/16/17 11:09	06/20/17 10:23
Acorn and Hwy 44	7062023-05	Air	06/19/17 12:30	06/20/17 10:23
238 Chad Baker	7062023-06	Air	06/16/17 11:21	06/20/17 10:23
238 Chad Baker	7062023-07	Air	06/19/17 12:42	06/20/17 10:23
Levee	7062023-08	Air	06/16/17 11:13	06/20/17 10:23
Levee	7062023-09	Air	06/19/17 12:34	06/20/17 10:23
East St. John the Baptist Hig	7062023-10	Air	06/16/17 10:57	06/20/17 10:23
East St. John the Baptist Hig	7062023-11	Air	06/19/17 12:19	06/20/17 10:23
East St. John the Baptist Hig	7062023-12	Air	06/19/17 12:19	06/20/17 10:23
Fifth Ward Elementary Schoo	7062023-13	Air	06/16/17 11:17	06/20/17 10:23
Fifth Ward Elementary Schoo	7062023-14	Air	06/19/17 12:38	06/20/17 10:23
238 Chad Baker C1	7062301-01	Air	06/22/17 11:10	06/23/17 11:14
238 Chad Baker C2	7062301-02	Air	06/22/17 11:10	06/23/17 11:14
Levee	7062301-03	Air	06/22/17 11:02	06/23/17 11:14
Ochsner Hospital	7062301-04	Air	06/22/17 10:49	06/23/17 11:14
East St. John the Baptist Hig	7062301-05	Air	06/22/17 10:45	06/23/17 11:14
Fifth Ward Elementary Schoo	7062301-06	Air	06/22/17 11:06	06/23/17 11:14
Acorn and Hwy 44	7062301-07	Air	06/22/17 10:58	06/23/17 11:14
Acorn and Hwy 44 C1	7062732-01	Air	06/25/17 14:25	06/27/17 10:49
Acorn and Hwy 44 C2	7062732-02	Air	06/25/17 14:25	06/27/17 10:49
East St. John the Baptist Hig	7062732-03	Air	06/25/17 14:14	06/27/17 10:49
Levee	7062732-04	Air	06/25/17 14:29	06/27/17 10:49
Ochsner Hospital	7062732-05	Air	06/25/17 14:18	06/27/17 10:49
Fifth Ward Elementary Schoo	7062732-06	Air	06/25/17 14:33	06/27/17 10:49
238 Chad Baker	7062732-07	Air	06/25/17 14:37	06/27/17 10:49

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 **FAX:** -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: East St. John the Baptist High

Lab ID: 7060833-01

Sampled: 06/07/17 13:24

Pressure @ Receipt: 10.50" Hg

Canister #: A21058

Received: 06/08/17 10:25

Comments: PR-12 Start 13:23 6/6/17

Analyzed: 06/13/17 19:06

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Fifth Ward Elementary School

Lab ID: 7060833-02

Sampled: 06/07/17 13:46

Pressure @ Receipt: 8.00" Hg

Canister #: SAT094

Received: 06/08/17 10:25

Comments: Col 1 PR-22 Start 13:45 6/6/17

Analyzed: 06/13/17 20:08

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	0.326	1.18		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Fifth Ward Elementary School

Lab ID: 7060833-03

Sampled: 06/07/17 13:46

Pressure @ Receipt: 8.00" Hg

Canister #: 5046

Received: 06/08/17 10:25

Comments: Col 2 PR-24 Start 13:45 6/6/17

Analyzed: 06/13/17 21:11

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	0.324	1.18		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Ochsner Hospital

Lab ID: 7060833-04

Sampled: 06/07/17 13:29

Pressure @ Receipt: 7.50" Hg

Canister #: SAT158

Received: 06/08/17 10:25

Comments: PR-15 Start 13:28 6/6/17

Analyzed: 06/14/17 00:20

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: 238 Chad Baker

Lab ID: 7060833-05

Sampled: 06/07/17 13:50

Pressure @ Receipt: 7.50" Hg

Canister #: SAT041

Received: 06/08/17 10:25

Comments: PR-8 Start 13:49 6/6/17

Analyzed: 06/14/17 01:23

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	0.228	0.83		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Acorn and Hwy 44

Lab ID: 7060833-06

Sampled: 06/07/17 13:38

Pressure @ Receipt: 8.00" Hg

Canister #: 5086

Received: 06/08/17 10:25

Comments: PR-2 Start 13:37 6/6/17

Analyzed: 06/14/17 02:25

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Levee

Lab ID: 7060833-07

Sampled: 06/07/17 13:42

Pressure @ Receipt: 7.50" Hg

Canister #: A22328

Received: 06/08/17 10:25

Comments: PR-23 Start 13:41 6/6/17

Analyzed: 06/14/17 03:28

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	1.54	5.59		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: 238 Chad Baker C1

Lab ID: 7061321-01

Sampled: 06/10/17 12:48

Pressure @ Receipt: 8.50" Hg

Canister #: 18819

Received: 06/13/17 10:49

Comments: Col 1 PR-24 Start 12:47 6/9/17

Analyzed: 06/14/17 04:30

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	5.42	19.70		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: 238 Chad Baker C2

Lab ID: 7061321-02

Sampled: 06/10/17 12:48

Pressure @ Receipt: 9.00" Hg

Canister #: 5121

Received: 06/13/17 10:49

Comments: Col 2 PR-8 Start 12:47 6/9/17

Analyzed: 06/14/17 05:33

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	6.04	21.90		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Ochsner Hospital

Lab ID: 7061321-03

Sampled: 06/10/17 12:26

Pressure @ Receipt: 8.00" Hg

Canister #: SAT129

Received: 06/13/17 10:49

Comments: PR-15 Start 12:25 6/9/17

Analyzed: 06/14/17 08:41

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: East St. John the Baptist High

Lab ID: 7061321-04

Sampled: 06/10/17 12:22

Pressure @ Receipt: 8.50" Hg

Canister #: A21053

Received: 06/13/17 10:49

Comments: PR-10 Start 12:21 6/9/17

Analyzed: 06/14/17 09:44

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	0.251	0.91		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Acorn and Hwy 44

Lab ID: 7061321-05

Sampled: 06/10/17 12:36

Pressure @ Receipt: 8.00" Hg

Canister #: A21081

Received: 06/13/17 10:49

Comments: PR-2 Start 12:35 6/9/17

Analyzed: 06/14/17 10:46

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Levee

Lab ID: 7061321-06

Sampled: 06/10/17 12:40

Pressure @ Receipt: 8.50" Hg

Canister #: SAT109

Received: 06/13/17 10:49

Comments: PR-23 Start 12:39 6/9/17

Analyzed: 06/14/17 11:48

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Fifth Ward Elementary School

Lab ID: 7061321-07

Sampled: 06/10/17 12:44

Pressure @ Receipt: 9.50" Hg

Canister #: SAT156

Received: 06/13/17 10:49

Comments: PR-22 Start 12:43 6/9/17

Analyzed: 06/14/17 12:51

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	1.73	6.28		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: 238 Chad Baker C1

Lab ID: 7061512-01

Sampled: 06/13/17 13:12

Pressure @ Receipt: 7.50" Hg

Canister #: SAT013

Received: 06/15/17 10:50

Comments: Col 1 PR-24 Start 13:11 6/12/17

Analyzed: 06/21/17 19:23

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	7.88	28.60	D	0.039



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: 238 Chad Baker C2

Lab ID: 7061512-02

Sampled: 06/13/17 13:12

Pressure @ Receipt: 8.00" Hg

Canister #: SAT169

Received: 06/15/17 10:50

Comments: Col 2 PR-8 Start 13:11 6/12/17

Analyzed: 06/21/17 20:24

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	7.93	28.80	D	0.039



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: East St. John the Baptist High

Lab ID: 7061512-03

Sampled: 06/13/17 12:48

Pressure @ Receipt: 8.00" Hg

Canister #: SAT127

Received: 06/15/17 10:50

Comments: PR-10 Start 12:47 6/12/17

Analyzed: 06/20/17 23:35

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	0.438	1.59		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Ochsner Hospital

Lab ID: 7061512-04

Sampled: 06/13/17 12:53

Pressure @ Receipt: 8.00" Hg

Canister #: SAT118

Received: 06/15/17 10:50

Comments: PR-15 Start 12:52 6/12/17

Analyzed: 06/21/17 00:37

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	0.209	0.76		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Acorn and Hwy 44

Lab ID: 7061512-05

Sampled: 06/13/17 13:00

Pressure @ Receipt: 8.50" Hg

Canister #: 5067

Received: 06/15/17 10:50

Comments: PR-2 Start 12:59 6/12/17

Analyzed: 06/21/17 01:39

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Levee

Lab ID: 7061512-06

Sampled: 06/13/17 13:04

Pressure @ Receipt: 8.00" Hg

Canister #: SAT140

Received: 06/15/17 10:50

Comments: PR-23 Start 13:03 6/12/17

Analyzed: 06/21/17 02:42

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Fifth Ward Elementary School

Lab ID: 7061512-07

Sampled: 06/13/17 13:08

Pressure @ Receipt: 15.00" Hg

Canister #: A21034

Received: 06/15/17 10:50

Comments: PR-22 Start 13:07 6/12/17

Analyzed: 06/21/17 03:46

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	0.227	0.82		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Ochsner Hospital C1

Lab ID: 7062023-01

Sampled: 06/16/17 11:02

Pressure @ Receipt: 8.50" Hg

Canister #: 2240

Received: 06/20/17 10:23

Comments: Col 1 PR-15 Start 11:01 6/15/17

Analyzed: 06/21/17 23:26

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	9.90	35.90	D	0.039



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Ochsner Hospital C2

Lab ID: 7062023-02

Sampled: 06/16/17 11:02

Pressure @ Receipt: 9.00" Hg

Canister #: 5130

Received: 06/20/17 10:23

Comments: Col 2 PR-24 Start 11:01 6/15/17

Analyzed: 06/22/17 00:27

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	9.99	36.30	D	0.039



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Ochsner Hospital

Lab ID: 7062023-03

Sampled: 06/19/17 12:23

Pressure @ Receipt: 8.00" Hg

Canister #: SAT075

Received: 06/20/17 10:23

Comments: PR-15 Start 12:22 6/18/17

Analyzed: 06/22/17 03:32

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	0.682	2.47		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Acorn and Hwy 44

Lab ID: 7062023-04

Sampled: 06/16/17 11:09

Pressure @ Receipt: 8.50" Hg

Canister #: SAT155

Received: 06/20/17 10:23

Comments: PR-2 Start 11:08 6/15/17

Analyzed: 06/21/17 08:59

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	1.33	4.83		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Acorn and Hwy 44

Lab ID: 7062023-05

Sampled: 06/19/17 12:30

Pressure @ Receipt: 8.50" Hg

Canister #: 5065

Received: 06/20/17 10:23

Comments: PR-2 Start 12:29 6/18/17

Analyzed: 06/22/17 04:34

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	0.715	2.59		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: 238 Chad Baker

Lab ID: 7062023-06

Sampled: 06/16/17 11:21

Pressure @ Receipt: 9.00" Hg

Canister #: 5019

Received: 06/20/17 10:23

Comments: PR-8 Start 11:20 6/15/17

Analyzed: 06/21/17 10:02

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: 238 Chad Baker

Lab ID: 7062023-07

Sampled: 06/19/17 12:42

Pressure @ Receipt: 8.50" Hg

Canister #: 5059

Received: 06/20/17 10:23

Comments: PR-8 Start 12:41 6/18/17

Analyzed: 06/22/17 05:36

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	7.35	26.70		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Levee

Lab ID: 7062023-08

Sampled: 06/16/17 11:13

Pressure @ Receipt: 8.50" Hg

Canister #: A21076

Received: 06/20/17 10:23

Comments: PR-23 Start 11:12 6/15/17

Analyzed: 06/21/17 11:04

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Levee

Lab ID: 7062023-09

Sampled: 06/19/17 12:34

Pressure @ Receipt: 7.00" Hg

Canister #: A21026

Received: 06/20/17 10:23

Comments: PR-23 Start 12:33 6/18/17

Analyzed: 06/22/17 06:39

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	2.14	7.77		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: East St. John the Baptist High

Lab ID: 7062023-10

Sampled: 06/16/17 10:57

Pressure @ Receipt: 8.50" Hg

Canister #: SAT077

Received: 06/20/17 10:23

Comments: PR-10 Start 10:56 6/15/17

Analyzed: 06/21/17 12:06

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: East St. John the Baptist High

Lab ID: 7062023-11

Sampled: 06/19/17 12:19

Pressure @ Receipt: 8.00" Hg

Canister #: SAT016

Received: 06/20/17 10:23

Comments: Col 1 PR-24 Start 12:18 6/18/17

Analyzed: 06/22/17 07:41

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	0.442	1.60		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: East St. John the Baptist High

Lab ID: 7062023-12

Sampled: 06/19/17 12:19

Pressure @ Receipt: 9.00" Hg

Canister #: A21091

Received: 06/20/17 10:23

Comments: Col 2 PR-10 Start 12:18 6/18/17

Analyzed: 06/22/17 08:43

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	0.456	1.65		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Fifth Ward Elementary School

Lab ID: 7062023-13

Sampled: 06/16/17 11:17

Pressure @ Receipt: 8.00" Hg

Canister #: SAT039

Received: 06/20/17 10:23

Comments: PR-20 Start 11:16 6/15/17

Analyzed: 06/21/17 13:09

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Fifth Ward Elementary School

Lab ID: 7062023-14

Sampled: 06/19/17 12:38

Pressure @ Receipt: 8.50" Hg

Canister #: 5016

Received: 06/20/17 10:23

Comments: PR-20 Start 12:37 6/18/17

Analyzed: 06/22/17 11:52

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	2.96	10.70		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: 238 Chad Baker C1

Lab ID: 7062301-01

Sampled: 06/22/17 11:10

Pressure @ Receipt: 8.50" Hg

Canister #: 18871

Received: 06/23/17 11:14

Comments: Col 1 PR-24 Start 11:05 6/21/17

Analyzed: 06/27/17 18:15

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	0.044	0.16		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: 238 Chad Baker C2

Lab ID: 7062301-02

Sampled: 06/22/17 11:10

Pressure @ Receipt: 9.00" Hg

Canister #: 5146

Received: 06/23/17 11:14

Comments: Col 2 PR-24 Start 11:05 6/21/17

Analyzed: 06/27/17 19:17

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	0.053	0.19		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Levee

Lab ID: 7062301-03

Sampled: 06/22/17 11:02

Pressure @ Receipt: 8.50" Hg

Canister #: A21002

Received: 06/23/17 11:14

Comments: PR-23 Start 10:57 6/15/17

Analyzed: 06/27/17 22:26

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Ochsner Hospital

Lab ID: 7062301-04

Sampled: 06/22/17 10:49

Pressure @ Receipt: 8.50" Hg

Canister #: SAT014

Received: 06/23/17 11:14

Comments: PR-15 Start 10:46 6/21/17

Analyzed: 06/27/17 23:29

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: East St. John the Baptist High

Lab ID: 7062301-05

Sampled: 06/22/17 10:45

Pressure @ Receipt: 8.50" Hg

Canister #: SAT095

Received: 06/23/17 11:14

Comments: PR-10 Start 10:42 6/21/17

Analyzed: 06/28/17 00:31

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	1.22	4.43		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Fifth Ward Elementary School

Lab ID: 7062301-06

Sampled: 06/22/17 11:06

Pressure @ Receipt: 8.50" Hg

Canister #: 5018

Received: 06/23/17 11:14

Comments: PR-20 Start 11:01 6/21/17

Analyzed: 06/28/17 01:34

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Acorn and Hwy 44

Lab ID: 7062301-07

Sampled: 06/22/17 10:58

Pressure @ Receipt: 8.00" Hg

Canister #: SAT054

Received: 06/23/17 11:14

Comments: PR-2 Start 10:53 6/21/17

Analyzed: 06/28/17 02:36

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	ND	ND	U	0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Acorn and Hwy 44 C1

Lab ID: 7062732-01

Sampled: 06/25/17 14:25

Pressure @ Receipt: 7.00" Hg

Canister #: A21102

Received: 06/27/17 10:49

Comments: Col 1 PR-2 Start 13:46 6/24/17

Analyzed: 06/28/17 03:38

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	1.97	7.15		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Acorn and Hwy 44 C2

Lab ID: 7062732-02

Sampled: 06/25/17 14:25

Pressure @ Receipt: 7.50" Hg

Canister #: SAT108

Received: 06/27/17 10:49

Comments: Col 2 PR-24 Start 13:46 6/24/17

Analyzed: 06/28/17 04:41

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	2.08	7.55		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: East St. John the Baptist High

Lab ID: 7062732-03

Sampled: 06/25/17 14:14

Pressure @ Receipt: 8.00" Hg

Canister #: A21086

Received: 06/27/17 10:49

Comments: PR-10 Start 13:34 6/24/17

Analyzed: 06/28/17 07:48

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	0.168	0.61		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Levee

Lab ID: 7062732-04

Sampled: 06/25/17 14:29

Pressure @ Receipt: 7.50" Hg

Canister #: A22304

Received: 06/27/17 10:49

Comments: PR-23 Start 13:50 6/24/17

Analyzed: 06/28/17 08:50

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	3.84	13.90		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Ochsner Hospital

Lab ID: 7062732-05

Sampled: 06/25/17 14:18

Pressure @ Receipt: 7.50" Hg

Canister #: SAT180

Received: 06/27/17 10:49

Comments: PR-15 Start 13:38 6/24/17

Analyzed: 06/28/17 09:53

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	0.106	0.39		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: Fifth Ward Elementary School

Lab ID: 7062732-06

Sampled: 06/25/17 14:33

Pressure @ Receipt: 7.00" Hg

Canister #: SAT141

Received: 06/27/17 10:49

Comments: PR-20 Start 13:54 6/24/17

Analyzed: 06/28/17 10:55

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	3.26	11.80		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Description: 238 Chad Baker

Lab ID: 7062732-07

Sampled: 06/25/17 14:37

Pressure @ Receipt: 7.00" Hg

Canister #: SAT112

Received: 06/27/17 10:49

Comments: PR-8 Start 13:58 6/24/17

Analyzed: 06/28/17 11:57

Air Toxics by EPA Compendium Method TO-15

<u>Analyte</u>	<u>Results</u>		<u>Flag</u>	<u>MDL</u>
	<u>ppbv</u>	<u>ug/m³</u>		<u>ppbv</u>
Chloroprene	3.25	11.80		0.020



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B7F1305 - Summa Canister Prep

Blank (B7F1305-BLK1)

Prepared: 06/08/17 Analyzed: 06/13/17

Chloroprene	ND	ppbv				U
-------------	----	------	--	--	--	---

Duplicate (B7F1305-DUP1)

Source: 7060833-02 Prepared: 06/07/17 Analyzed: 06/13/17

Chloroprene	0.317	ppbv	0.33	2.77	25	
-------------	-------	------	------	------	----	--

Duplicate (B7F1305-DUP2)

Source: 7060833-03 Prepared: 06/07/17 Analyzed: 06/13/17

Chloroprene	0.322	ppbv	0.32	0.743	25	
-------------	-------	------	------	-------	----	--

Duplicate (B7F1305-DUP3)

Source: 7061321-01 Prepared: 06/10/17 Analyzed: 06/14/17

Chloroprene	5.62	ppbv	5.42	3.73	25	
-------------	------	------	------	------	----	--

Duplicate (B7F1305-DUP4)

Source: 7061321-02 Prepared: 06/10/17 Analyzed: 06/14/17

Chloroprene	6.10	ppbv	6.04	1.01	25	
-------------	------	------	------	------	----	--

Batch B7F2003 - Summa Canister Prep

Blank (B7F2003-BLK1)

Prepared: 06/08/17 Analyzed: 06/20/17

Chloroprene	ND	ppbv				U
-------------	----	------	--	--	--	---

Duplicate (B7F2003-DUP1)

Source: 7061512-01 Prepared: 06/13/17 Analyzed: 06/21/17

Chloroprene	8.07	ppbv	7.88	2.41	25	D
-------------	------	------	------	------	----	---

Duplicate (B7F2003-DUP2)

Source: 7061512-02 Prepared: 06/13/17 Analyzed: 06/21/17

Chloroprene	8.39	ppbv	7.93	5.67	25	D
-------------	------	------	------	------	----	---

Duplicate (B7F2003-DUP3)

Source: 7062023-01 Prepared: 06/16/17 Analyzed: 06/22/17

Chloroprene	9.87	ppbv	9.90	0.251	25	D
-------------	------	------	------	-------	----	---

Duplicate (B7F2003-DUP4)

Source: 7062023-02 Prepared: 06/16/17 Analyzed: 06/22/17

Chloroprene	10.0	ppbv	9.99	0.551	25	D
-------------	------	------	------	-------	----	---

Batch B7F2104 - Summa Canister Prep

Blank (B7F2104-BLK1)

Prepared: 06/08/17 Analyzed: 06/21/17

Chloroprene	ND	ppbv				U
-------------	----	------	--	--	--	---

Duplicate (B7F2104-DUP1)

Source: 7062023-11 Prepared: 06/19/17 Analyzed: 06/22/17

Chloroprene	0.462	ppbv	0.44	4.29	25	
-------------	-------	------	------	------	----	--

Duplicate (B7F2104-DUP2)

Source: 7062023-12 Prepared: 06/19/17 Analyzed: 06/22/17

Chloroprene	0.473	ppbv	0.46	3.77	25	
-------------	-------	------	------	------	----	--

Batch B7F2709 - Summa Canister Prep

Blank (B7F2709-BLK1)

Prepared: 06/08/17 Analyzed: 06/27/17

Chloroprene	ND	ppbv				U
-------------	----	------	--	--	--	---

Duplicate (B7F2709-DUP1)

Source: 7062301-01 Prepared: 06/22/17 Analyzed: 06/27/17

Chloroprene	0.046	ppbv	0.04	2.67	25	
-------------	-------	------	------	------	----	--

Duplicate (B7F2709-DUP2)

Source: 7062301-02 Prepared: 06/22/17 Analyzed: 06/27/17

Eastern Research Group

The results in this report apply only to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Analyte	Result	Units	Source Result	RPD	RPD Limit	Notes
---------	--------	-------	---------------	-----	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Batch B7F2709 - Summa Canister Prep

Duplicate (B7F2709-DUP2) Continued **Source: 7062301-02** Prepared: 06/22/17 Analyzed: 06/27/17

Chloroprene	0.053	ppbv	0.05	0.758	25
-------------	-------	------	------	-------	----

Duplicate (B7F2709-DUP3) **Source: 7062732-01** Prepared: 06/25/17 Analyzed: 06/28/17

Chloroprene	2.01	ppbv	1.97	2.20	25
-------------	------	------	------	------	----

Duplicate (B7F2709-DUP4) **Source: 7062732-02** Prepared: 06/25/17 Analyzed: 06/28/17

Chloroprene	2.09	ppbv	2.08	0.498	25
-------------	------	------	------	-------	----



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 FAX: -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Analyte	Result	Units	% Difference	Limit (%)	Notes
---------	--------	-------	--------------	-----------	-------

Air Toxics by EPA Compendium Method TO-15 - Quality Control

Sequence 1706023

Calibration Check (1706023-CCV1)

Prepared & Analyzed: 06/13/17

Chloroprene	2.57	ppbv	2.9	30.00
-------------	------	------	-----	-------

Sequence 1706039

Calibration Check (1706039-CCV1)

Prepared & Analyzed: 06/20/17

Chloroprene	2.42	ppbv	-3.2	30.00
-------------	------	------	------	-------

Sequence 1706042

Calibration Check (1706042-CCV1)

Prepared & Analyzed: 06/21/17

Chloroprene	2.58	ppbv	3.3	30.00
-------------	------	------	-----	-------

Sequence 1706058

Calibration Check (1706058-CCV1)

Prepared & Analyzed: 06/27/17

Chloroprene	2.67	ppbv	6.8	30.00
-------------	------	------	-----	-------



CERTIFICATE OF ANALYSIS

U.S. Environmental Protection Agency - OAQPS

109 T.W. Alexander Drive, Mail Code: C304-C

RTP, NC 27709

ATTN: Mr. Dave Shelow & Ms Fran Verhalen

PHONE: (919) 541-3776 **FAX:** -

FILE #: 0344.00

REPORTED: 07/05/17 08:53

SUBMITTED: 06/08/17 to 06/27/17

AQS SITE CODE:

SITE CODE: Chloroprene

Notes and Definitions

U	Under Detection Limit
D	This result obtained by dilution.
ND	Analyte NOT DETECTED
NR	Not Reported
MDL	Method Detection Limit
RPD	Relative Percent Difference

Note: The test results meet all requirements of NELAC; however the following analytes are not accredited: 1,2,4-trimethylbenzene, 1,2-dibromoethane, 1,2-dichloropropane, 1,3,5-trimethylbenzene, 1,3-butadiene, acetylene, acrolein, bromochloromethane, bromodichloromethane, bromoform, carbon disulfide, dibromochloromethane, dichlorodifluoromethane, dichlorotetrafluoroethane, ethyl acrylate, ethyl tert butyl ether, hexachloro-1,3-butadiene, octane, propylene, tert amyl methyl ether, tetrachloroethylene, tran-1,2-dichloroethylene, trichlorofluoromethane, and trichlorotrifluoroethane.